



KLM CO., LIMITED

Hi Lumen, Bye Watts.

www.klmighting.com



045B TRACK LIGHT SERIES

Technical Date




Light Source	COB
Power	30W
Beam Angle	12°/25°/38°/60°
CRI	90/92/95/97
PF	>0.9
MacAdam	<3
Color Temperature	2700K/3000K/4000K/5000K/6000K
Luminous Efficacy	80lm/W
Input Voltage	AC200-240V 50/60Hz
Output Voltage	DC36V
Working Temperature	-20°C-+45°C
Material	Aluminum
Housing Color	White/Black
Wiring	2 wires/3 wires/4 wires
Dimmable	DALI/TRIAC/0-10V/2.4G RF
Working Life	50000H
LED chip	CITIZEN/CREE/OSRAM
Driver	OSRAM/PHILIPS/TIGI
Installation	Adapter on track or surface mounted

Accessories

Items	Colour
 Coloured filters	
 Soft lens filter	
 Anti-dazzle louvre	<input checked="" type="radio"/>
 Antiglare screen	<input type="radio"/> <input checked="" type="radio"/>
 Wall washer screen	<input type="radio"/> <input checked="" type="radio"/>
 Directional flaps	<input type="radio"/> <input checked="" type="radio"/>
 Custom Services	

Lighting effect



TRACK LIGHT

Item No.	Power	Size	CRI	Beam angle	Lm/w	CCT
KLM-045B-7W	7W		>90	12/24/36° For lens & reflectors	90lm/w	2700K 3000K 4000K 5000K
KLM-045B-10W	10W			12/24/36° For lens & reflectors		
KLM-045B-15W	15W			12/24/36° For lens & reflectors		
KLM-045B-30W	30W			12/24/36/60° for reflector 12/24/38° for lens		
KLM-045B-40W	40W			12/24/36° For lens & reflectors		

