



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-G006-PTA-15W	15W	CREE	>90	2700~6500K	90lm/w	D58*L150MM	15° 24° 36°
KLM-G006-PTA-25W	25W	CREE	>90	2700~6500K	90lm/w	D74*L180MM	15° 24° 36°
KLM-G006-PTA-35W	35W	CREE	>90	2700~6500K	90lm/w	D85*L200MM	15° 24° 36°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-KRG-16W	16W	CREE	>90	2700~6500K	90lm/w	D250*L120MM	100°
KLM-KRG-24W	24W	CREE	>90	2700~6500K	90lm/w	D250*L120MM	100°
KLM-KRG-36W	36W	CREE	>90	2700~6500K	90lm/w	D330*L130MM	100°






Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-ERCO-10W	10W	CREE	>90	2700~6500K	90lm/w	D45*L120MM	15° 24° 36°
KLM-ERCO-20W	20W	CREE	>90	2700~6500K	90lm/w	D45*L140MM	15° 24° 36°
KLM-ERCO-30W	30W	CREE	>90	2700~6500K	90lm/w	D65*L160MM	15° 24° 36°
KLM-ERCO-40W	40W	CREE	>90	2700~6500K	90lm/w	D75*L180MM	15° 24° 36°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-MNLS-20W	20W	CREE	>90	2700~6500K	90lm/w	D60*L156MM	15° 24° 36°
KLM-MNLS-30W	30W	CREE	>90	2700~6500K	90lm/w	D70*L165MM	15° 24° 36°
KLM-MNLS-40W	40W	CREE	>90	2700~6500K	90lm/w	D80*L176MM	15° 24° 36°
KLM-MNLS-50W	50W	CREE	>90	2700~6500K	90lm/w	D90*L200MM	15° 24° 36°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-SS-GD-75-12W	12W	CREE	>90	2700~6500K	90lm/w	D64*L190MM	15° 24° 36° 50°
KLM-SS-GD-75-25W	25W	CREE	>90	2700~6500K	90lm/w	D64*L190MM	15° 24° 36° 50°




Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-HGD-54	10W	CREE	>90	2700~6500K	90lm/w	D55*H90MM	15° 24° 36°
KLM-HGD-68	20W	CREE	>90	2700~6500K	90lm/w	D68*H110MM	15° 24° 36°
KLM-HGD-85	30W	CREE	>91	2700~6500K	90lm/w	D85*H120MM	15° 24° 36°




Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-MX-01	9W	CREE	>90	2700~6500K	90lm/w	D65*25*L110MM	24° 50°
KLM-MX-02	18W	CREE	>90	2700~6500K	90lm/w	D170*25*L110MM	24° 50°
KLM-MX-03	27W	CREE	>91	2700~6500K	90lm/w	D280*25*L110MM	24° 50°



Track Linear Light




Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-STL02-3-12W	12W	CREE	>90	2700~6500K	90lm/w	L118*W42*H145mm	15° 24° 38°
KLM-STL01-5-20W	20W	CREE	>90	2700~6500K	90lm/w	L193*W42*H145mm	15° 24° 38°
KLM-STL03-4-15W	15W	CREE	>90	2700~6500K	90lm/w	L120*H80mm	15° 24° 38°
KLM-STL03-4-2*15W	2*15W	CREE	>90	2700~6500K	90lm/w	L205*H180mm	15° 24° 38°
KLM-STL03-9-36W	36W	CREE	>90	2700~6500K	90lm/w	L160*H180mm	15° 24° 38°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-STL-10W	10W	CREE	>90	2700~6500K	90lm/w	L135*W35*H95mm	15° 30° 45°
KLM-STL-20W	20W	CREE	>90	2700~6500K	90lm/w	L270*W35*H95mm	15° 30° 45°



ZOOMABLE



Provides adjustable focal length beam from 10° to 60°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-045Z-7W	7W	CREE	>90	2700~6500K	90lm/w	D50*L115MM	10° ~60°
KLM-045Z-10W	10W	CREE	>90	2700~6500K	90lm/w	D60*L130MM	10° ~60°
KLM-045Z-15W	15W	CREE	>90	2700~6500K	90lm/w	D70*L150MM	10° ~60°
KLM-045Z-30W can do CCT tunable	30W	CREE	>90	2700~6500K	90lm/w	D90*L196MM	10° ~60°
KLM-045Z-40W	40W	CREE	>90	2700~6500K	90lm/w	D110*L215MM	10° ~60°


ZOOMABLE

Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-PTATJ-15W	15W	CREE	>90	2700~6500K	90lm/w	D58*L152MM	10° ~60°
KLM-PTATJ-25W	25W	CREE	>90	2700~6500K	90lm/w	D74*L183MM	10° ~60°
KLM-PTATJ-35W	35W	CREE	>90	2700~6500K	90lm/w	D85*L203MM	10° ~60°


ZOOMABLE

Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-TJ-10W	10W	CREE	>90	2700~6500K	90lm/w	D48*L105MM	10° ~60°
KLM-TJ-15W	15W	CREE	>90	2700~6500K	90lm/w	D58*L152MM	10° ~60°
KLM-TJ-25W	25W	CREE	>90	2700~6500K	90lm/w	D68*L157MM	10° ~60°




Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-080-30W	30W	CREE	>90	2700~6500K	90lm/w	D166*L172MM	Round: 12°/24°/ 38° Square: 50°*50°/ 70°*70° Rectangle: 35°*70°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-T915-15W	15W	CREE	>90	2700~6500K	90lm/w	D72*L88MM	wall washer
KLM-T916-25W	25W	CREE	>90	2700~6500K	90lm/w	D92*L113MM	wall washer
KLM-T917-40W	40W	CREE	>90	2700~6500K	90lm/w	D114*L135MM	wall washer



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-TLW-20/25W	20/25W	CREE	>90	2700~6500K	90lm/w	115*135mm	15° 24° 38°
KLM-TLW-30/35W	30/35W	CREE	>90	2700~6500K	90lm/w	115*135mm	15° 24° 38°



Item No.	Power	LEDs	CRI	CCT	LM	Size	Beam angle
KLM-MEC-01-30W	30W	Citizen	>90	CCT tunable 0-10V DIM KNOB	90lm/w	D76*307mm	2170-1040°

Updating...

KLM CO.,LTD

Add: 6/F No.12 Sheng Yu 2 Street Henglan Town, Zhongshan City,Guangdong,China.

Phone: 86-18576006066

Email: info@klmlighting.com

Website: www.klmlighting.com | www.outdoorlightplus.com